New T-Harnesses! New Accessories!



SUMMER 2022 REMOTE START & SECURITY LINEUP

70 SERIES









www.CarAlarm.com

REMOTE START POWERHOUSE

TIMES 2!

BACKUP BATTERY PORT

Featuring our exclusive Power Maze technology, battery power only supports mission-critical security functions. You won't waste the battery on power-hogging features like remote start. Believe it or not, with Power Maze, a simple 9V battery is all you need to combat any security threat.

BACKUP BATTERY BRACKET

AL-XX70-B has this nifty slide on bracket for the backup battery. The slide on battery housing and harness are included with every security model powered by the AL-XX70-B.

DOOR LOCK/UNLOCK PORT

Analog outputs for door lock, driver unlock, & all door unlock. Has a +12v pin for driving relays or other analog adapters like the DLR-U

REMOTE START SATELLITE PORT(S)

4 analog outputs for several options to add extra or custom functions. AL-XX70-B has 3 programmable outputs The RS-X70 has 2 programmable outputs. All have a +12v pin for driving relays or bypass modules.

WHITE 4-PIN AUX PORT

This port provides OEM alarm arm/disarm control along with remote start activation input & 3RD channel out. These functions are separated from the main harness since they are supported over data in most vehicles. Yep, cleaner install.

6 DUAL DATA PORTS

Both ports are physically matched to legacy (DBI) and modern (iDatalink) connectors. However, both support DBI or iDatalink protocols. Protocols are auto-detected during Vehicle Learn process or manually selectable.

BLADE HARNESS PORT


This is where you connect the harness included with any OmegaLink BLADE cartridge. It's also compatible with our line of T-harnesses (see

70 SERIES ANTENNA/STATUS LIGHT PORT

This port supports any 70 series antenna module. Select any combination of 1-way/2-way and range you'd like. It also supports our pushbutton LED (included with the RS-170-B)

BLADE CARTRIDGE PORT

This is where the OL-BLADE-AL64 or OL-BLADE-TB is inserted to the AL-XX70-B. PCB shielding and precision locking guides makes it simple and secure.



2-WAY CONFIRMING SYSTEMS

RECHARGEABLE

AL-2075-3DB-L

1-Mile+ LoRa OLED

Rechargeable, 2-Way Remote Start Security with 3D Motion Sensing Includes Shock & Siren AL-1870-3DB

1500ft LCD 2-Way

Deluxe Remote Start Security with 3D Motion Sensing Includes Shock & Siren IMPROVED BATTERY LIFE

AL-1775-3DB

3000ft LED 2-Way

Deluxe Remote Start Security with 3D Motion Sensing Includes Shock & Siren













JUST ADD
ANY COMPATIBLE
SENSOR
TO UPGRADE!



IMPROVED BATTERY LIFE

RS-475-3D

3000ft LED 2-Way

Deluxe Remote Start Keyless Entry with 3D Motion Sensing - Alarm Equipped



3000ft LED 2-Way

Deluxe Remote Start Keyless Entry with 3D Motion Sensing - Alarm Equipped

1-WAY / 4 BUTTON SYSTEMS

AL-1670-B

1500ft 4-Button 1-Way

Deluxe Remote Start Security Keyless Entry Includes Shock & Siren

RS-375-3DB

3000ft 4-Button 1-Way

Deluxe Remote Start Keyless Entry with 3D Motion Sensing Alarm Equipped 2-Way Ready



AL-XX70-B







RS-X70



3000ft 4-Button 1-Way

Remote Start / Keyless Entry
- Alarm Equipped

RS-370

1500ft 4-Button 1-Way

Remote Start / Keyless Entry - Alarm Equipped

1-WAY / 1 + 1 BUTTON SYSTEMS



RS-170-B

Deluxe Remote Start, Security, & Keyless Entry Platform -BUILD YOUR DREAM SYSTEM! (see page 8) - Alarm Equipped

RS-170-B64

INCLUDES OL-BLADE-AL64! (see page 8)







RS-272

1500ft 1+1-Button

Remote Start / Keyless Entry - Alarm Equipped **RS-271**

1500ft 1-Button

Remote Start / Keyless Entry - Alarm Equipped

REMOTE START YOUR WAY

RS-170-B64

Powered by the godfather of all remote start modules, the AL-XX70-B, the RS-170-B64 is the foundation for building the system of your dreams. It's compatible with RK series remote kits, Linkr smartphone control, sirens, sensors, & OmegaLinkt-harnesses, From add-on start (LOCK, LOCK, LOCK from OEM remote), to aftermarket keyless start, to a full-blownLEGENDARY security/conveniencepackage, the RS-170-B64 is a one-stop platform. Stop choosing between what is or isn't compatible.

- Includes the OL-BLADE-AL-64 for all-in-one installer paradise!
- Supports 3x LOCK remote start (via data or analog)
- Powered by the AL-XX70-B
- Compatible with all OL-HRN-RS T-harnesses
- Includes high current harness & all supporting harnesses for hard-wire installs
- · Includes new push-button LED/Valet
- Supports all 70 series remote kits (page 9)
- Supports all 70 series remotes simultaneously: 1-button, 1+1 button, 4-button, 2-way, etc

PUSH BUTTON STATUS LIGHT INCLUDED

This plug-in status light/programming button combofeatures a super bright LED and the integrated construction provides easy installation for you and easy use for your customers.



Control the RS-170-B64 from OEM remotes. Supports 3x lock remote start, arm, & disarm





ADD **SMARTPHONE** CONTROL (PAGE 12)

T-HARNESS (PAGE 10)

RFK REMOTE KIT

Directplug-into ANY 70 series Excaliburremote start, OmegaLinkData Start, iDatalinkData Start, or Fortin EVO Data Start. Backed by our legendary Limited Lifetime Warranty. All RFK Kits have a 3,000ft max range. Each kit includes a 2-way ready antenna module, with built-in status light & valet button, harness, batteries, and a Limited Lifetime Warranty on all components!

3000FT REMOTE KITS FOR RS-170-B & RS-170-B64

EXCALIBUR 70 SERIES

- 3000 ft remote kits for RS-170-B & RS-170-B64 platforms
- Upgrade any 70 series system to 2-way or extended range
- All kits include a 2-way ready antenna. Just add a 2-way remote!

OMEGALINK. IDATALINK. AND FORTIN DATA START

- Adds Low/High Temp autostart to data start systems with onboard temperature sensor.
 (3 low & 4 high selectable thresholds)
- · High visibility LED's in window-mount antenna
- 1-Button Unlock Only Mode
- 8 programmable features

ONE SOLUTION FOR ALL OMEGA REMOTE STARTS!



RFK-42-SST

3000ft 5-Button LED 2-Way Remote Kit

- Includes One 2-way remote
- Includes One 1-way remote
- Indicates engine run time (2-way only)
- Multi-car support (2-way only)
- Low vehicle battery alert (2-way only)
- OEM alarm alerts (2-way only)
- Durable chrome metal frames
- Leather texture back case

PENSON STATEMENT OF THE PENSON OF THE PENSO

RFK-32-SST

3000ft 4-Button LED 1-Way Remote Kit

- Includes Two 1-way remotes
- · Durable chrome metal frames
- · Leather texture back case
- 2-way ready just add remote!



RFK-22-SST

3000ft 1-Button LED 2-Way Remote Kit

- Includes One 2-way remote
- Includes One 1-way remote
- Indicates engine run time (2-way only)
- Low vehicle battery alert (2-way only)
- OEM alarm alerts (2-way only)
- Supports Lock, Unlock, Start/Stop
- Programmable for Unlock only
- · Durable chrome metal frames



RFK-15-SST

3000ft 2-Button LED 2-Way Remote Kit

- Includes Two 2-way remotes
- Durable chrome metal frames
- Supports Lock, Unlock, Start/Stop
- Programmable for Unlock only
- 2-way ready just add remote!



RFK-12-SST

3000ft 1-Button LED 1-Way Remote Kit

- Includes Two 1-way remotes
- · Durable chrome metal frames
- Supports Lock, Unlock, Start/Stop
- · Programmable for Unlock only
- 2-way ready just add remote!

T-HARNESS SOLUTIONS FOR ANALOG REMOTE STARTERS



These T-Harnesses are compatible with any Excalibur remote start. These are built to OEM or better quality standards and are made with 100% copper wire for maximum current delivery and reliability. These plug-in harnesses provide remote start critical connections and help you avoid straining sensitive data wires or compromising high current circuit integrity. You can even adapt these to ANY remote start brand using FlashLogic, iDatalink BLADE or ALCA modules.

- Get OmegaLink install convenience AND Excalibur features!
- Use what's already on your shelf!
- Connect directly to the BLADE port on the AL-XX70-B
- Includes an adapter for using the OL-MDB-ALL with ANY system

VISITWWW.WIRESHEET.COMFORVEHICLECOMPATIBILITY&INSTALLGUIDES!

| | Model | Discription | RS Firmware Support | | | | | | | |
|--------------------|----------------------|--|---------------------------|--|--|--|--|--|--|--|
| <u>e</u> | OL-HRN-RS-CH4 | Plug-in T-Harness for Chrysler Group of vehicles from 2008 and up, including TipStart. | | | | | | | | |
| Chrysler | OL-HRN-RS-CH5 | Plug-in T-Harness for Chrysler Group of vehicles from 2005 and up, including standard key. | | | | | | | | |
| ਠ | OL-HRN-RS-CH7 | Plug-in T-Harness for Chrysler Group of vehicles from 2011 and up, including Push-To-Start models. | | | | | | | | |
| | OL-HRN-RS-FM2 | Plug-in T-Harness for Ford Group of vehicles from 2006 and up, including 40-bit keys. | | | | | | | | |
| Ford | OL-HRN-RS-FM3 | Plug-in T-Harness for Ford Group of vehicles from 2006 and up, including 80-bit keys. | | | | | | | | |
| | OL-HRN-RS-FM8 | Plug-in T-Harness for Ford/Lincoln Group of vehicles from 2013 and up, including Push-To-Start models. | | | | | | | | |
| | OL-HRN-RS- GM10 | Plug-in T-Harness for GM "SWC" Group of full-size vehicles from 2006 and up. | | | | | | | | |
| QW CW | OL-HRN-RS- GM12 | Plug-in T-Harness for all GM7 vehicles, and GM 'flip-key' and standard key vehicles from 2017 and up. | | | | | | | | |
| | OL-HRN-RS-GM12-ADAPT | Converts OL-HRN-RS-GM7 into GM12. | | | | | | | | |
| Honda Acura | OL-HRN-RS-HA3 | Plug-in T-Harness for Honda/Acura standard key vehicles from 2008 and up. | | | | | | | | |
| | OL-HRN-RS-HA6 | Plug-in T-Harness for Honda/Acura Push-To-Start vehicles from 2013 and up. | | | | | | | | |
| Ī∢ | OL-HRN-RS-HA7 | Plug-in T-Harness for Honda/Acura Push-To-Start vehicles from 2014 and up. | | | | | | | | |
| Hyundai Kia | OL-HRN-RS-HK | Plug-in T-Harness for Hyundai/Kia Group of vehicles from 2008 and up,. Covers main ignition harness connections only since most US vehicles are not equipped with immobilizer. | | | | | | | | |
| Mazda | OL-HRN-RS-MA3 | Plug-in T-Harness for Mazda Push-To-Start vehicles from 2013 and up. | | | | | | | | |
| | OL-HRN-RS-NI3 | Plug-in T-Harness for Nissan/Infiniti Push-To-Start vehicles from 2013 and up. | | | | | | | | |
| Nissan Infiniti | OL-HRN-RS-NI4 | Plug-in T-Harness for Nissan/Infiniti standard key vehicles from 2004 and up. | | | | | | | | |
| NIS | OL-HRN-RS-NI5 | Plug-in T-Harness for Nissan/Infiniti Push-To-Start vehicles from 2007 and up. | | | | | | | | |
| | OL-HRN-RS-NI8 | Plug-in T-Harness for Nissan/Infiniti Group of vehicles from 2014 and up. | ⊘ | | | | | | | |
| е <u>-</u> | OL-HRN-RS-TL5 | Plug-in T-Harness for Toyota/Scion standard key vehicles from 2010 and up. | | | | | | | | |
| Toyota Scion | OL-HRN-RS-TL6 | Plug-in T-Harness for Toyota/Lexus Push-To-Start vehicles from 2010 and up. | ⊘ | | | | | | | |
| F 07 | OL-HRN-RS-TL7 | Plug-in T-Harness for Toyota/Lexus Push-To-Start vehicles from 2018 and up. | ⊘ | | | | | | | |



OL-MDB-ALL

RS FIRMWARE SUPPORT

Select models support using the OL-MDB-ALL, FL-CAN, or ALCA as a standalone "3X Lock" remote start using "RS firmware". You can even add Excalibur RFK kits or Linkr smartphone control!

USE ANY G5 REMOTE START!

OL-HRN-PWR-CST

T-HARNESS ADAPTOR

OmegaLink t-harness connects to CrimeStopper Remote Starts (G5 SERIES).

USE ANY PRESTIGE & CODE-ALARM

REMOTE START

OL-HRN-RS-PWR-VOXX

ADAPTER HARNESS

Adapt to Prestige & Code-Alarm brand remote start.

USE ANY BRAND **REMOTE START!**

OL-HRN-RS-PWR UNIVERSAL ADAPTER HARNES

Use this to adapt any of the above harnesses to ANY brand remote start system using a BLADE, ALCA, or FLCAN

interface module.

SECURITY UPGRADES

All Excalibursecurity systems are compatible with these state-of-the-artupgrades. From wheel/tire protection to glass break age detection to proximity/motion sensing for convertibles & softtops, you have EVERY application covered. You can also layer audible alerts by adding a siren to any system with horn honk for a REAL attention-getting alarm system.



AU-SEC

Dual Zone Shock & 6-Tone Siren Pack

- AU-84TDPB Magnetic resonance data shock for unbeatable impact detection.
- AU-73M Miniature high output 6-tone siren
- Upgrade ANY Excalibur 70 Series remote start with this simple kit.
- Upgrade the OL-RS-BA integrated remote start/bypass system with ease

ADD TO ANY 70 SERIES RS MODEL!



AU-84TDPB

Dual Zone Data Shock Sensor

- Upgrade any 70 series model with black data port (RS-X70 & AL-XX70-B)
- Uses iDatalink protocol
- Pre-warn & trigger zones
- Separate adjustment for each zone
- Analog door trigger input (when not supported through data module)
- · Pass through data port for other plug-in accessories
- Compatible with CrimeStopper G6 Series



AU-85Tn

Dual Zone Shock & Glass Break Sensor

- Magnetic resonance element for superior impact detection.
- Pre-warn & trigger zones
- Separate adjustment for each zone
- Add to any Omega alarm with analog sensor ports.
- Glass breakage detection microphone included for pinpoint accuracy



AU-84Tn

Dual Zone Shock Sensor

- Magnetic resonance element for superior impact detection.
- Pre-warn & trigger zones
- Separate adjustment for each zone
- Add to any Omega alarm with analog sensor ports.



AU-94TM

Dual Zone Proximity/Motion Sensor

- Pre-warn & trigger zones
- Separate adjustment for each zone
- Add to any Omega alarm with analog sensor ports.
- Ideal for soft tops
- Long harness included for optimal placement



AU-46TD

Dual Zone Digital Tilt Sensor

- Hi resolution 3D accelerometer
- Pre-warn & trigger zones
- Separate adjustment for each zone
- Add to any Omega alarm with analog sensor ports.
- Great wheel/tire protection



AU-73M

Miniature High Output 6-Tone Siren

- Compact design for quick/easy install
- Operates on 12v
- Compatible with all alarm models

SMARTPHONE CONTROL



1st YEAR OF SERVICE INCLUDED!

NEW 4G LTE **SPEED!**

COVER 99% OF YOUR CUSTOMER'S **NEEDS FOR HALF THE PRICE!**





Model:

LINKR-LT2

Key Features:

- Control & Confirm LOCK, UNLOCK. START, STOP, TRUNK, & Aux **Functions**
- View the vehicle's current location
- Displays remote start remaining run time
- NEW run time extender feature restarts the engine run time!
- Shows door locked/unlocked status
- · Displays vehicle voltage & Linkr network connection strength
- Direct plug-in to Excalibur 70 series remote starts
- Direct plug-in to OmegaLink RS kits
- Alarm trigger alert
- · Install as stand alone tracker (Only GPS instant locate & alarm alert is available)
- Supports iDatalink, Posse, Fortin, & DBI/Smartstart protocols
- Includes the 1st year of service (\$39 USD for the following year)
- · Works in the USA, Puerto Rico, and roams in Canada



NO SERVICE COST! 1.5 Mile RANGE SMARTCONTROL!

Model:

RFK6000

Key Features:

- · Connects via Bluetooth directly to the antenna and/or the long range remote
- True 2-way communication powered by LoRa™ technology
- Real-time Bluetooth® communication interaction with your smartphone with rapid response
- 2-way LED remote with over 1.5 miles of operating range
- Micro USB rechargeable Li-On battery (cable not included)
- Compatible with most digital remote start and security systems
- · Compatible with android & iOS Smartphones - search "Connected SmartControl" in your app store

• ASD200

· ASD600

• DBALL 2

4X10 / 5X10

• DB3

• DS4+

DIRECTED ELECTRONICS



from ΩMEGA



HOST PRODUCT COMPATIBILITY TABLE FOR TELECONNECT, LINKR-LT2, & RFK6000

OMEGA BRANDS

EXCALIBUR

GET THE LINKR-LT

APP WITH YOUR

SHOP LOGO!

• Excalibur 70 series (v1.4 FW or higher required)

OMEGALINK

- All "OL-RS" kits
- · OL-MDB-ALL w/ RS Firmware

CRIMESTOPPER

- · RS-00 (LINKR-LT2 Only)
- RSX-G5 (LINKR-LT2 Only) \$P402 / SP502 (LINKR-LT2 Only)
- · RSX-G6

ADS iDatalink

- · ALCA w/ RS Firmware
- · HCX
- VWA
- BM7
- BZX

AKX

ASTROSTART

AF-D600

OTHER BRANDS

AUTOSTART FORTIN ELECTRONICS

- EVO-ALL (LINKR-LT2 Only)
 - EVO-ONE (LINKR-LT2 Only)

FIRSTECH

- · Compustar 7000 series
- · Compustar 6000 series
- Compustar FT-xxx-DC
- · Compustar FT-DC2 /
- FT-DC3

MIDCITY

· Midcity Smartkey Starter

(RFK6000 Only)

· All Modules With ADS Telematics Port (Linkr Only)

HEATED SEAT KIT





HSK-150 DUAL ZONE / DUAL TEMPERATURE SEAT HEATER:

- · Carbon fiber elements for superior performance
- · Pads can be trimmed for custom fit beneath seat fabric
- · Works with cloth or leather seats
- 3 mode settings High, Low, Off
- Illuminated dual color LED switch
 - requires 13/16" (21mm) hole for mounting
- Comes with back and bottom elements for 1 seat
- Includes all wiring and activation switch
- Simple power & ground wiring

2-WAY SECURITY & DATA START UPGRADE

WHAT IT IS?

This INDUSTRY FIRST system of pure, unstoppable, vehicle protection exellence is the latest in Excalibur innovation! It's the newest generation in our legendary AL-15X0 series of 2-way alarm systems and, oh man, did it get an upgrade!

Ever install a slam dunk data start like an 'OL-RS' t-harness kit or OL-MDB-ALL with RS Firwmware just to have the customer return a few weeks later wanting to add security? Yeah, the deinstall, reinstall sucks for you and your customer. Well, dread it no longer! The AL-1575 connects to the data start just like a "RF kit" except it has an entire alarm system built in. Better yet, if the data start provides all the trigger zones, etc, it's as easy as 3 wires (power, ground, ignition) and you're done! Then, just add any accessories like siren, starter kill, and flashing lights where desired.

Don't forget, it's still a badass stand alone 2-way alarm system with premium features and a LIFETIME warranty you only get from Omega.

WHY YOU WANT IT (HARDWARE):

- Upgrade most data start systems to 2-way security
- 5-button LED 2-way & 4-button 1-way controllers
- Onboard temp sensor
- 2 Onboard relays for maximum flexibility
- · Dual data ports
- Up to 4 AUX outputs
- · Starter interrupt relay included
- · AU-85Tn dual zone impact and glass break sensor
- AU-73M Mini 6-tone 20-watt siren
- · Dedicated horn honk output
- Dedicated (+), (-), & Relay Light Flash Outputs!
- · Backup battery port & bracket included
- Limited LIFETIME WARRANTY* on all components



WHY YOU WANT IT **(OPERATIONS)**:

- · Multi-vehicle capability
- Low/high temp auto start (optional data start required)
- · Low voltage auto start (optional data start required)
- Low vehicle battery alert
- Supports iDataLink & DBI protocols
- · Human panic horn honk alert
- · Indicates vehicle interior temp on remote
- · Remote start timer (optional data start required)
- Run time expiration warning (optional data start required)
- · Simultaneous horn honk & siren alert

*Transportation Surcharge

SECURITY / KEYLESS ENTRY SYSTEMS

Wealso offereverything you need to give your customers security-focused solutions and non-remote start convenience packages that are ideal for fleet upgrade applications or vehicles not equipped with factory keyless entry/security.











KE-170 500ft 1-Way Deluxe Keyless Entry

| FEATURES | Security / Keyless Entry | Security / Keyless Entry | Security / Keyless Entry | Keyless Entry |
|--|--------------------------|-----------------------------|-----------------------------|-----------------------------|
| | | TECHNOLOGY | | |
| Web Programmable | | | | |
| Flashable xOS Firmware | | | | |
| Dual Data Ports | | | | |
| Smartphone Control Compatible | | | | |
| | | SECURITY | | |
| Driver Priority Unlock | | | | |
| Backup Battery Port | | | | |
| Plug-in Security Upgrade For OmegaLink & EVO Data Starts | ⊘ | | | |
| Starter Interrupt | Relay Included | Relay Included | Relay Included | Output Only |
| Normally Closed Trigger Loop | | | | |
| Multi-Tone Mini Siren | | | ⊘ | |
| Dual Zone Shock Sensor | AU-84Tn Magnetic Sensor | AU-84TM Piezo Sensor | AU-84TM Piezo Sensor | 18 |
| Backup Battery Port | | | | |
| Passive Arming/Locking | | | | ⊘ |
| Remote Panic | | | | ⊘ |
| Status Light & Valet Button | Built Into Antenna | LED/Valet Push Button Combo | LED/Valet Push Button Combo | LED/Valet Push Button Combo |
| | | CONVENIENCE | | |
| Keyless Entry & Trunk Release | | ⊘ | ⊘ | |
| Auxiliary Outputs | 3 | 1 | 1 | 1 |
| Flashing Light Output(s) | (+) and (-) | (+) and (-) | (+) and (-) | (+) and (-) |
| Domelight Supervision | | | | |

COMPARE REMOTE START SYSTEMS

| MODELS | AL-2075-3DB-L | AL-1870-3DB | AL-1775-3DB | AL-1670-B | RS-475-3D | RS-276-3D | RS-375-3DB | RS-375 | RS-370 | RS-272 | RS-271 | RS-170-B64 | RS-170-B |
|---|---|-------------|-------------|------------|---------------|---|------------|----------|----------|----------|----------|----------------------|----------|
| TYPE | TYPE 2-Way Alarm / Remote Start Remote Start Remote Start | | | | 2-Way Keyless | 2-Way Keyless / Remote Start 1-Way Keyless / Remote Start | | | | | | OEM FOB Remote Start | |
| | | | | | | TECHNOLO | GY | | | | | | |
| Remote Technology | LoRa | x433 | xSST | x433 | xSST | xSST | xSST | xSST | x433 | x433 | x433 | - | - |
| Operating Range | 1 Mile + | 1500 ft | 3000 ft | 1500 ft | 3000 ft | 3000 ft | 3000 ft | 3000 ft | 1500 ft | 1500 ft | 1500 ft | - | - |
| Web Programmable | | | | | | | | | | | | | |
| BLADE Compatible | Ø | Ø | ⊘ | ⊘ | | | ⊘ | | | | | ⊘ | ⊘ |
| Flashable xOS Firmware | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | Ø | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ |
| DBI + iDatalink Protocols | | | | | | | ⊘ | | | Ø | Ø | | Ø |
| | | | Me and a | Marie Care | | REMOTE ST | ART | | 775-393 | | | | |
| 3x Lock Start | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | Ø | ⊘ | ⊘ | Ø | ⊘ | Ø |
| Vehicle Learn | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | Ø | ⊘ | Ø | Ø |
| Crank Averaging | | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | Ø | Ø | Ø | Ø |
| Low / Hi Temp Auto- Start | ⊘ | | ⊘ | ⊘ | Ø | ⊘ | ⊘ | Ø | Ø | ⊘ | Ø | ⊘ | Ø |
| Low Temp Crank Adjust | Ø | | | Ø | ⊘ | ⊘ | ⊘ | | ⊘ | Ø | Ø | ⊘ | ⊘ |
| Pit Stop & XL Pit Stop Mode | | | | | | ⊘ | | | | | | | Ø |
| Diesel Wait-To-Start Support | | | > | | ⊘ | ⊘ | Ø | Ø | | Ø | | Ø | ② |
| RS Lock/Unlock Control | | | | | ⊘ | ⊘ | Ø | Ø | | | | | O |
| Advanced voltage sensing (for progressive alternators) | • | Ø | | Ø | Ø | ⊘ | ⊘ | ⊘ | ⊘ | Ø | Ø | • | ⊘ |
| LowVoltageAuto-Start | | | | | | | | | ⊘ | | | | |
| Manual Transmission Support | | ⊘ | > | | Ø | | Ø | ② | | | | | ⊘ |
| 3D Motion Sensor For Manual Transmission Safety | ⊘ | Ø | ⊘ | | ⊘ | ⊘ | | | | | | | |
| Run Time Shown On Remote | Ø | | | | ⊘ | ⊘ | | | | <u>.</u> | | | |
| Run Time Shown On Linkr-LT App | Ø | Ø | | Ø | Ø | ⊘ | | Ø | Ø | Ø | Ø | Ø | Ø |
| Run Time Extender (by Remote & Linkr-LT) | Ø | Ø | | Ø | Ø | Ø | | Ø | Ø | Ø | Ø | | ⊘ |
| Run Time Expiration Alert | | Ø | | | | Ø | | | | | | | |
| Auxiliary RS Outputs | 4 | 4 | 4 | 4 | 2 | 2 | 4 | 2 | 2 | 2 | 2 | 4 | 4 |
| Defroster Control | | | | | | | | | | | | | |

| MODELS | AL-2075-3DB-L | AL-1870-3DB | AL-1775-3DB | AL-1670-B | RS-475-3D | RS-276-3D | RS-375-3DB | RS-375 | RS-370 | RS-272 | RS-271 | RS-170-B64 | RS-170-B |
|---|------------------|------------------|---|-----------------|-----------------|------------------|-----------------|-----------------|----------------------|-----------------|-----------------|-----------------|---------------------|
| TYPE FEATURES | 2-Way | y Alarm / Remote | Alarm / Remote Start 1-Way Alarm / Remote Start 2-Way Keyless / Remote Start 1-Way Keyless / Remote Start | | | | | | OEM FOB Remote Start | | | | |
| | | | | | _ | SECURIT | 1 | | | | | | |
| Driver Priority Unlock | Analog+Data | Analog+Data | Analog+Data | Analog+Data | Data Only | Data Only | Analog+Data | Data Only | Data Only | Data Only | Data Only | Analog+Data | Analog+Data |
| Alarm Functions | Analog+Data | Analog+Data | Analog+Data | Analog+Data | Data Only | Data Only | Analog+Data | Data Only | Data Only | Data Only | Data Only | Analog+Data | Analog+Data |
| Starter Interrupt Relay | ⊘ | ⊘ | ⊘ | ⊘ | | | | | | | | | |
| AU-73MMulti-Tone Mini Siren | Ø | ⊘ | ⊘ | ⊘ | | | | | | | | | |
| AU-84TnShockSensor | | | | | | | | \$1.00 | | | | | |
| Backup Battery Port | ⊘ | ⊘ | ⊘ | ⊘ | | | ⊘ | | | | | ⊘ | ⊘ |
| Passive Arming/ Locking | ⊘ | ⊘ | | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | ⊘ | | ⊘ | ⊘ |
| Remote Panic | | | | | | | Ø | | Ø | Ø | Ø | | Ø |
| Antenna with Status Light & Valet Button | Ø | Ø | ⊘ | Ø | ⊘ | ⊘ | ⊘ | Ø | Ø | Ø | Ø | 1 | - |
| | | | | | | CONVENIE | NCE | | | | | | |
| Keyless Entry & Trunk Release | | | (| | | ⊘ | ⊘ | | | | Ø | | ⊘ |
| Dual Vehicle Control | | | | | ⊘ | | | 1 | | | | | |
| Control From OEM Remote | | | | > | Ø | | | | | | | | |
| STEEL STATE | | March 1 | | | er fills in the | INSTALLAT | ION | | | | | | Carca Car |
| Onboard Vehicle Data Interface | 724 | | | | | | | | | | | | |
| Onboard Relays | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 5 | 5 | 5 | 5 | 7 | 7 |
| Flashing Light Output(s) | (+), (-), SPDT | (+), (-), SPDT | (+), (-), SPDT | (+), (-), SPDT | (+), (-) | (+), (-) | (+), (-), SPDT | (+), (-) | (+), (-) | (+), (-) | (+), (-) | (+), (-), SPDT | (+), (-), SPDT |
| Dedicated Horn Output | ⊘ | ⊘ | ⊘ | ⊘ | 0 | ⊘ | Ø | Ø | Ø | ⊘ | Ø | ⊘ | Ø |
| Dual Data Ports | Ø | | > | ⊘ | Ø | | Ø | Ø | ⊘ | | | | |
| OL T-harness Compatible | ⊘ | ⊘ | ⊘ | Ø | ⊘ | ⊘ | Ø | ⊘ | Ø | Ø | Ø | Ø | ⊘ |
| LC Harness Compatible | Ø | | | | | | | | ⊘ | | | | ⊘ |
| | | | | | | OTHER | | | | 25 | | | 7.000 |
| Turbo Timer | ⊘ | ⊘ | ⊘ | Ø | ⊘ | ⊘ | | ⊘ | ⊘ | Ø | Ø | ⊘ | ⊘ |
| Low Vehicle Battery Alert | Ø | ⊘ | ⊘ | | ⊘ | ⊘ | | | | | | | |
| 2-Way Ready (just add remote) | | | | | | | | Ø | | | *** | | |
| Warranty | Limited Lifetime | LimitedLifetime | LimitedLifetime | LimitedLifetime | LimitedLifetime | Limited Lifetime | LimitedLifetime | LimitedLifetime | LimitedLifetime | LimitedLifetime | LimitedLifetime | LimitedLifetime | Limited Lifetime |



www.CarAlarm.com

Omega's corporate site & product information

www.OmegaWeblink.com

Get the latest vehicle compatibility for all integration modules

www.OmegaDealer.com

Omega's dealer resource portal Sales | Marketing | Installation

Technical Support

800-921-TECH (8234)

tech@**CarAlarm**.com facebook.com/groups/**omegadealer**

Sales/Customer Service

800-554-4053 (toll free) **+1-770-942-9876** (outside USA)



